## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		contact near (Au and Ag) and (solder adj deposition) near resistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:41
		S46 and ((radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:49
		((S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:49
		(((S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and (probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:47

	(S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and (probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08
manu amanun	(((S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and (probe and adjusting))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:47
	((S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:46
	(S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:46
	(S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:45

		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:45
	(S46 and (radio adj frequency) and sma and pcb and cable and probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:44
	(((S46 and (radio adj frequency) and sma and pcb and cable and probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:44
nane ammunininin	3//	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:44
	((S46 and (radio adj frequency) and sma and pcb and cable and probe and adjusting)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:43

	d (radio adj frequency) and sma and I cable and probe and adjusting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:43
3	d (bucle adj plate) with (retaining adj and space)"." "clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 19:16
	ssls. and "self-locking" near2 terminal and pad and wire and tab	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:08
(contac	"self-locking" near2 terminal and t adj clip) and (conductive adj pad) e and (retaining adj tab) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:05
and (co	self adj locking and (contact adj clip) nductive adj pad) and wire and I and (retaining adj tab) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:03

		(439/581).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 14:59
L1	0	contact near AuAg and solder near2 resistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:36
L2	0	(contact near AuAg) and (solder near2 resistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:37
L3	246	(contact near Au Ag) and (solder near2 resistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:37
L4	0	(contact near Au Ag) and (solder adj deposition) near2 resistant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:38

L5	Ö	(contact near Au Ag) and ((solder adj deposition) near2 resistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:38
L6	1	3 and solder adj deposition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:39
L7	0	contact near (Au and Ag) and ((solder adj deposition) near resistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:41
S1	181	(439/835).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:48
\$2	82	(439/853). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:50

S3	1744	(439/66).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:51
<b>S</b> 4	0	S3 and "self-locking" near2 terminal and clip and pad and wire and tab	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:06
S5	864	(439/287,740,816,861,835,853). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:07
<b>S</b> 6	1	S5 and "self-locking" near2 terminal and clip and pad and wire and tab	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:07
S7	1	"439"/\$.ccls. and "self-locking" near2 terminal and clip and pad and wire and tab	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:08
S8	0	("439"/\$.ccls. and "self-locking" near2 terminal and clip and pad and wire and tab). clm.	US-PGPUB; USPAT	OR	ON	2008/12/05 16:09

S9	204	(439/161).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:09
S10	6	(("5500605") or ("6133537") or ("3599326")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:46
S11	3	(("5500605") or ("6133537") or ("3599326")). PN.	USPAT	OR	OFF	2008/12/05 17:46
S12	2685	contact near2 gold and silver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:52
S13	2931	contact near3 alloy and (gold or AU) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:54
S14	43085	contact same (gold or AU) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:54

S15	18465	contact with (gold or AU) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:54
S16	11604431	contact made of gold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:55
S17	14	"contact comprising gold"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:55
S18	8	"contact comprising gold" and silver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:59
S19	2	("20080250785").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:07

<b>S</b> 20	278400	(contact or terminal) and (gold or Au) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ÖR	ÖN	2008/12/05 18:11
S21	96248	(contact or terminal) and (gold or Au) and added and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:12
S22	96248	(contact or terminal) and (gold or Au) and "added" and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:12
\$23	1225	((gold or AU) adj (contact or terminal)) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:14
\$24	37	"439"/\$.ccls. and ((gold or AU) adj (contact or terminal)) and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:14

\$25	172	"439"/\$.ccls. and ((gold or AU) adj (contact or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:29
\$26	37	S25 and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:29
\$27	3782	((gold or AU) adj (contact or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:30
\$28	1225	S27 and (silver or Ag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 18:30
S29	12	("20020025711"   "20020072267"   "20030040210"   "20040043654"   "5830002"   "6332800"   "6830472"   "6835087"   "6860750"   "6890749"   "7083459"   "7128595").PN.	US-PGPUB; USPAT	OR	OFF	2008/12/07 18:14
\$30	2365	(439/352-353,357-358).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 18:16

<b>S</b> 31	1408	(439/352-353). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 18:35
S32	507	(439/358). COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 18:35
<b>S</b> 33	259	S32 and latch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:37
S34	0	S32 and (latch\$.3 or lock\$.3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:40
S35	0	S32 and latch\$.3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:41

S36	0	S32 and "latch."\$.3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:42
S37	0	S32 and "latch/"\$.3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:42
S38	394	S32 and (latch or lock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 18:42
S39	26	("20050101176"   "20060009080"   "20060014438"   "20060019525"   "20060040556"   "4986766"   "5030127"   "6109955"   "6179643"   "6364685"   "6431887"   "6439915"   "6475014"   "6585536"   "6585537"   "6595793"   "6655979"   "6821139"   "6830472"   "6857912"   "6860749"   "6860750"   "6890205"   "6896540"   "6926553"   "7033201").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/07 18:52
S40	0	S30 and (latch\$.3 or lock\$.3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 19:10

S41	1774	S30 and (latch or lock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 19:10
S42	0	((S30 and (bucle adj plate) with (retaining adj blocks) and space))"clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 19:16
<b>S</b> 43	2974	(439/578,721,723,778,871,912).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/08
S44	0	\$43 and test\$.3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:33
<b>S</b> 45	9	S43 and (SMA adj connector) and testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:34

S46	335	S43 and testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:36
S47	0	S46 and (oval adj opening)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:39
S48	0	S46 and (oval adj hole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:40
S49	0	S46 and (oval adj aperture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:40
S50	0	S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:53
S51	0	S46 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting	US-PGPUB; USPAT	OR	ON	2008/12/08 10:54

S52	6279	(324/754,755).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/08 10:54
S53	0	S52 and (radio adj frequency) and (sma adj connector) and pcb and cable and probe and adjusting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:55
S54	1	S52 and (oval adj aperture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 10:55
S55	5	("4700132"   "4816426"   "5519331"   "5645433"   "5683256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/08 10:58
S56	8	("6278284").URPN.	USPAT	OR	ON	2008/12/08 10:59
S57	29	("20020130164"   "20060113351"   "4686857"   "4788496"   "4949224"   "4963822"   "5225777"   "5399982"   "5404282"   "5531022"   "5821763"   "6024579"   "6054651"   "6062879"   "6104201"   "6255832"   "6278284"   "6286208"   "6292003"   "6295729"   "6329827"   "6356098"   "6452406"   "6528984"   "6638097"   "6736665"   "6825422"   "6869289"   "6920689").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/08 11:00

S58	2	("6133537").PN.	US-PGPUB;	OR	OFF	2008/12/08
			USPAT;			13:56
			USOCR; FPRS;			
			EPO; JPO;			
	į		DERWENT;			
-			IBM_TDB			

12/9/2008 12:42:39 PM

 $C:\\ \ \ Documents\ \ and\ \ Settings\\ \ \ Itsukerman\\ \ \ My\ \ Documents\\\\ \ \ EAST\\ \ \ Workspaces\\\\ \ \ sample 1.wsp$